

TABLA 4. TEJ						
	Columna2	Columna3	Columna4	Columna5	Columna6	Columna7
	VALOR GLOBAL		LIDOCAINA		ARTICAINA	
DOLOR A LA P	N	%	N	%	N	%
1	7	17.5	6	30.0	1	5.0
2	9	22.5	4	20.0	5	25.0
3	14	35.0	9	45.0	5	25.0
4	5	12.5	1	5.0	4	20.0
5	2	5.0	0	0.0	2	10.0
7	2	5.0	0	0.0	2	10.0
8	1	2.5	0	0.0	1	5.0
CONFORT DE	N	%	N	%	N	%
0	1	2.5	0	0.0	1	5.0
1	3	7.5	3	15.0	0	0.0
2	9	22.5	4	20.0	5	25.0
3	11	27.5	4	20.0	7	35.0
4	11	27.5	5	25.0	6	30.0
5	5	12.5	4	20.0	1	5.0
SENSIBILIDAD	SI		NO		SI	
	N	%	N	%	N	%
ENCIA						
4 min	3	7.5	37	92.5	2	10.0
45min	3	7.5	37	92.5	0	0
LABIO						
4 min	27	67.5	13	32.5	15	75.0
45 min	24	60.0	16	40.0	13	65.0
PIEL EL MENTON						
4 min	30	75.0	10	25.5	17	85.0
45 min	27	67.5	13	32.5	14	70.0
COMPLICACI	SI		NO		SI	
	N	%	N	%	N	%
	0	0	40	100.0	0	0

100.0